

ERA

Total Security



Product Guide











2018

www.eraeverywhere.com

Contents

Description	Page
Electronic	
ERA Home	1
Alarm Range	2
Door Hardware & Security	
Lockdown	3
Door Handles	4
Nightlatches	5
Door Cylinders	6
Mortice Locks	7
Padlocks	9
Multi-point Locks	10
Friction Hinges	11
Door Knockers	12
Door Accessories	13
Door Hinges	15
Door Bolts	17
Door Chains	18
Window Hardware & Security	
Window Handles	19
Window Locks	21
Vertical Sliding Windows	22
Window & Door Accessories	24
Garage & Sheds	
Garage & Shed - Plates	25
Garage & Shed - Lockable Bolts	26
Garage & Shed - Gate Fittings	27
Garage & Shed - Garage Bolts	28
Seals	
Weatherseals	29
Reference	
Part Code Index	30

Key

 PAS: 024 Applies only when used in conjunction with other components	 British Standard Kitemark	 Timber Application	 Neighbourhood Watch Recommended Product
 Corrosion Resistance Meets BSEN 1670:2007 Grade 5	 European Conformity	 PVCu Application	 Secured by Design
	 Aluminium Application	 Composite Application	



Smart solutions built on 180 years of home security expertise.



VIDEO DOORBELL

D@ORCAM

THE SMART WAY TO ANSWER YOUR DOOR

ANSWER YOUR DOOR WHEREVER YOU ARE

Access via your smartphone and Two-Way talk

SEE YOUR CALLER REAL-TIME

Live view from integrated camera

ADAPTABLE TO YOU

Adjustable speaker and microphone volume, brightness and colour

HEAR IT RING ANYWHERE

Add more WiFi plug-in chimes around your home

ADJUSTABLE MOTION DETECTION ACTIVATES VIDEO

Snapshots and Video Clips accessible via History log



CLOUD BASED

SMARTPHONE CONTROL

TWO-WAY TALK

REAL-TIME VIDEO



INTRUDER ALARM

H@MEGUARD Pro

SMART HOME SECURITY MADE SIMPLE

MONITOR MULTIPLE LOCATIONS

Monitor your home, your business and your garage from one account

ALLOCATE OR REVOKE ACCESS

Choose who gets access to your home and revoke when needed

EASY SETUP

Use your smartphone to set up the hub

ALERT YOUR NETWORK QUICKLY

Simultaneous alerts to as many people as you choose if there is an intrusion

TIMELESS

Firmware upgrades done via the cloud



CLOUD BASED

WIFI

SMARTPHONE CONTROL



SMART NIGHTLATCH

T@UCHKEY+

THE ONE TOUCH KEYLESS SMART LOCK

ONE TOUCH CONNECTIVITY

Automatically recognises you on approach, no need to take your smartphone out

ALWAYS IN CONTROL

Give timed access to your family, friends or cleaner via E-Keys and revoke when you choose

STAY IN YOUR CHAIR

See someone you know coming to your door? Just press open and let them in

EASY TO NAVIGATE

Check lock status, activity logs, E-Keys and access nights with an easy to navigate App

SMART LOCK, SIMPLE INSTALLATION

Designed to fit like a standard Nightlatch, making installation quick and easy



CLOUD BASED

SMARTPHONE CONTROL

BLUETOOTH TECHNOLOGY

ONE TOUCH OPENING

EASYHOME

See our EasyHome Range, which offers a range of practical security solutions that don't rely on a smartphone to set them up or to use them. Excellent for budgets and those wanting a plug and play alternative to smart.



INVINCIBLE

Robust and reliable, the Invincible allows you to set your network, alert and notification preferences to suit your personal security and lifestyle needs.

Automatic network switching between SMS/GPRS and PSTN (landline) for even greater reassurance that you will receive alerts and notifications to your smartphone as they happen.

In the event of alarm activation, the Invincible will communicate details of the event following the user's notification preferences. For example the user can select dial out to pre-stored phone numbers via landline telephone and/or GPRS push messages.

Works with landline if your mobile signal is poor or unreliable.



SMARTPHONE CONTROL



SMS ALERTS



PSTN (LANDLINE)



LCD DISPLAY



VALIANT

The Valiant Solar Siren Alarm Kit is ideal for smaller properties, as a starter kit for expansion at a later date, or as an add-on accessory pack for an existing ERA alarm system.

The external Siren with LED light is an excellent visual deterrent to would-be intruders 24/7. When triggered by a sensor or the SOS panic button on the remote control, the siren will sound and the strobe lights will flash.

The Valiant can easily be expanded at any time as your security needs evolve. Up to 40 ERA alarm accessories can be linked to the siren including: Sensors, Remote Controls, Keypads, Flood Detectors, and more.



SOLAR POWERED



110DB SIREN



PET FRIENDLY



MUTE ARM/DISARM

ADDMORE

Compatible with ERA HOME and EASYHOME

SIRENS



Solar Charged Outdoor Siren



Mains Powered Outdoor Siren



Internal Plug-in Siren



Outdoor Replica Siren

SENSORS & DETECTORS



Pet Friendly PIR Sensor



Ceiling PIR Sensor



Curtain PIR Motion Sensor



Door/Window Sensor



Vibration Sensor



Water Detector



HomeCam



Range Extender

ACCESSORIES



Personalised Disarming Tag



Remote Control



Disarming Keypad



Personal Alert Button



E3000 VIDEO INTERCOM

High quality video intercom with a 2.4" LCD handset screen. The Auto Snapshot feature on the battery operated IP55 outdoor camera/intercom takes a picture of your visitor when the call button is pressed.

LOCKDOWN

EMERGENCY BARRICADE DEVICE



- ⚡ Fast and easy to deploy emergency barricade device
- ⚡ Suitable for inward and outward swinging single doors up to 1100mm wide, or double door up to 60mm thick
- ⚡ Securely locks to protect a room and occupants from outside entry
- ⚡ Free standing lightweight device; can easily be transferred to another access point
- ⚡ Tested to PAS24 Impact Resistance Standards
- ⚡ Includes wall fixings for access







PAS
024

t
Timber

a
Aluminium

Door Handles

With the largest perfectly matching range of styles and finishes we have a door handle for every home. For the ultra-modern door, we offer standard euro cylinder, Invincible cylinder and handles for multi-point door locks.

 <p>PAS 024 480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>BALMORAL INVINCIBLE</h2> <ul style="list-style-type: none"> • Inline Sprung Lever 44mm Door Handle designed to operate a Multi-Point Lock with an Invincible High Security Cylinder • Screw fixings are located above the lever and at the bottom of the backplate to fit locks with a screw hole dimension of 211mm • Solid die cast zinc construction for a sturdy feel • Ergonomic lever and low friction nylon bush, easy to grip and smooth action 	<p>p PVCu</p> <p>t Timber</p> <p>C Composite</p>
 <p>PAS 024 480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>BERWICK</h2> <ul style="list-style-type: none"> • High security door handle that prevents attack to the Euro Cylinder • Designed with a longer 32mm wide backplate for new doors or replacing handles on existing doors • Handle set is unsprung allowing levers to be fixed if required dependant of applications • Screw fixings are located above the lever and at the bottom of the backplate to fit locks with a screw hole dimension of 211mm 	<p>p PVCu</p> <p>t Timber</p> <p>C Composite</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>BALMORAL EURO</h2> <ul style="list-style-type: none"> • Available as inline lever/lever or lever/pad • Inline Lever pad works in conjunction with a split spindle and compatible door lock • Long baseplate with screw positions to suit most locks • Ergonomic lever and low friction nylon bush, easy to grip and smooth action • 32mm wide backplate for new doors or replacing handles on existing doors 	<p>p PVCu</p> <p>t Timber</p> <p>C Composite</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>WINDSOR</h2> <ul style="list-style-type: none"> • Designed with a shorter 28mm wide backplate for new doors or replacing handles on existing doors • Handle screw fixings are located below the lever and at the bottom of the backplate to fit locks with a screw hole dimension of 122mm • Solid die cast zinc construction for a sturdy feel • Compact baseplate with screws in close proximity, combats lever attack 	<p>p PVCu</p> <p>t Timber</p> <p>C Composite</p>

NightLatches

ERA has an extensive range of nightlatches that are suitable for all types of applications and security requirements, including locks to meet BS 3621 & BS 8621.

 <p>BS3621:2017</p> <p>Secured by Design</p> <p>96 HOURS Corrosion Resistance</p>	<h2>BRITISH STANDARD DOUBLE LOCKING</h2> <ul style="list-style-type: none"> • High Security Nightlatch provides maximum security to replace most existing front door locks • Automatic deadlocking prevents the 20mm extended bolt being retracted by a credit card • Ergonomic internal locking handle can be deadlocked from the inside offering additional security against forced entry • The main bolt is "automatically" deadlocked into the striker, when the door is closed and an external security integral cylinder pull protects the cylinder from being drilled 	 <p>Timber</p>  <p>Composite</p>
 <p>96 HOURS Corrosion Resistance</p>	<h2>DOUBLE LOCKING</h2> <ul style="list-style-type: none"> • Robust design provides additional security to replace most existing front door locks • Automatic deadlocking prevents the bolt being retracted by a credit card • Snib button enables the latch to be held in the withdrawn position (only), allowing the door to be accessible without operating the handle • Suitable for inward opening interior and exterior timber doors only 	 <p>Timber</p>  <p>Composite</p>
 <p>96 HOURS Corrosion Resistance</p>	<h2>REPLACEMENT FRONT DOOR LOCK</h2> <ul style="list-style-type: none"> • Classically designed lock ideal for replacing existing nightlatches • Lock body is designed with larger footprint to hide most existing marks after a replacement • Optional deadlocking or non-deadlocking facility on external cylinder • Bolt 'hold back' facility on the body of the lock rather than the handle eliminates accidental locking 	 <p>Timber</p>  <p>Composite</p>
 <p>96 HOURS Corrosion Resistance</p>	<h2>TRADITIONAL DOOR LOCK</h2> <ul style="list-style-type: none"> • A popular designed nightlatch that replaces most existing front door locks, providing added security to new exterior and interior doors • Suitable for timber doors • A simple snib button deadlocks the latch from the inside 	 <p>Timber</p>  <p>Composite</p>





Door Cylinders

ERA offer a comprehensive selection of 6 pin locking Cylinders in a range of sizes to meet the latest market standards and security requirements, while complementing the cylinder operated mortice locks and multi-point lock range.

 <p>NEIGHBOURHOOD WATCH</p> <p>Secured by Design</p> <p>PAS 024</p> <p>96 HOURS Corrosion Resistance</p>	<h2>INVINCIBLE BRITISH STANDARD 6 PIN</h2> <ul style="list-style-type: none"> 3* BS Kitemarked Invincible Double cylinder with 5 times the strength of a conventional cylinder, to make it impenetrable against snapping attacks Offers maximum protection against attack Provides an effective and secure solution to the threat of snapping, bumping, lock picking & drilling Acts as a visual deterrent to potential intruders due to the unique shape of the cylinder 	<p>p PVCu</p> <p>t Timber</p> <p>c Composite</p>
 <p>NEIGHBOURHOOD WATCH</p> <p>Secured by Design</p> <p>96 HOURS Corrosion Resistance</p>	<h2>FORTRESS BS 3* ANTI-SNAP EURO</h2> <ul style="list-style-type: none"> This high-performance euro locking cylinder has six hardened high security pins for the ultimate anti-snap, anti-pick, anti-drill and anti-bump resistance Six trap pins for enhanced pick resistance means the cylinder offers excellent resistance to forced entry if attacked Security pin automatically triggers, blocking the cylinder cam preventing unlawful entry If attacked the cylinder can still be operated from the inside using the key 	<p>p PVCu</p> <p>t Timber</p> <p>c Composite</p> <p>a Aluminium</p>
 <p>NEIGHBOURHOOD WATCH</p> <p>96 HOURS Corrosion Resistance</p>	<h2>BRITISH STANDARD ANTI-BUMP EURO</h2> <ul style="list-style-type: none"> Available in a vast number of sizes, complementing the cylinder operated mortice locks and multi-point lock range Anti Drill, Anti Pick and Anti bump resistant Recommended for use with a 2" handle to achieve 3* security 100,000 differs 3 keys supplied 	<p>p PVCu</p> <p>t Timber</p> <p>c Composite</p> <p>a Aluminium</p>
 <p>96 HOURS Corrosion Resistance</p>	<h2>STANDARD EURO</h2> <ul style="list-style-type: none"> Cylinders can be keyed alike allowing one set of keys to open numerous cylinders Thumbturn, Double & single cylinder ranges Anti drill and anti pick resistant 100,000 differs 	<p>p PVCu</p> <p>t Timber</p> <p>c Composite</p>






Mortice Locks

Below are just a few of the large range of mortice locks ERA have available. Known for their quality and trusted by the trade, these mortice locks offer great value and have become the professionals choice.

 <p>NEIGHBOURHOOD WATCH</p> <p>Secured by Design Police Preferred Specification</p> <p>BS 3621:2017</p> <p>CE</p>	<h2>BS HIGH SECURITY CLASSIC</h2> <ul style="list-style-type: none"> • A modern mortice lock with traditional style and craftsmanship through brass components • Conforms to the BS 3621:2007; meeting the exacting demands of insurance companies and the Police. • Designed with hardened steel plates to resist drilling and four hardened steel rollers in the deadbolt to resist hacksawing • 20mm bolt throw for additional strength and security 	<p>t Timber</p> <p>C Composite</p>
 <p>NEIGHBOURHOOD WATCH</p> <p>Secured by Design Police Preferred Specification</p> <p>BS 3621:2017</p> <p>CE</p>	<h2>BS HIGH SECURITY FORTRESS</h2> <ul style="list-style-type: none"> • Conforms to the BS 3621:2007; meeting the exacting demands of insurance companies and the Police • Security and strength are delivered by a 20mm bolt throw • Latch bolt, which can easily be reversed without the removal of the lock cover or screws 	<p>t Timber</p> <p>C Composite</p>
 <p>NEIGHBOURHOOD WATCH</p> <p>Secured by Design Police Preferred Specification</p> <p>BS 3621:2017</p> <p>CE</p>	<h2>BS HIGH SECURITY FORTRESS EURO</h2> <ul style="list-style-type: none"> • Conforms to the BS 3621:2007; meeting the exacting demands of insurance companies and the Police • Each lock is supplied with a High Security 6 pin Euro Cylinder resistant against picking or drill attack. • Designed with hardened steel plates to resist drilling and four hardened steel rollers in the deadbolt to resist hacksawing • Bolt through heavy duty security roses protect the cylinder 	<p>t Timber</p> <p>C Composite</p>
	<h2>VISCOUNT</h2> <ul style="list-style-type: none"> • A classically designed Mortice Lock suitable for replacing existing 2 and 3 lever door locks for additional security • Ideal for the volume user • Offers long service in demanding situations and is the right choice for replacement or new built projects • Hardened steel rollers in the bolt resist hacksawing and levers have false notching to resist lock picking 	<p>t Timber</p> <p>C Composite</p>

Mortice Locks

For general security, look no further than our standard range of mortice locks - when paired with another locking system such as a BS Nightlatch or for internal use.

	<h2>VISCOUNT OVAL</h2> <ul style="list-style-type: none"> • Offers long service in demanding situations and is the right choice for replacement or new build projects • Easily reversible latch bolt making it suitable for both left and right hinged doors • The oval lock case comes complete with two inserts to adapt the case to take euro cylinders • Hardened steel rollers in the bolt to resist hacksawing 	
	<h2>3 LEVER</h2> <ul style="list-style-type: none"> • Classically designed, low cost mortice lock • Offers additional security for internal doors and outside applications such as sheds • Easily reversible bolt ensure fitting/operation on both left and right handed, inwards and outwards opening doors 	
	<h2>BATHROOM LOCK</h2> <ul style="list-style-type: none"> • Specially design for bathroom doors • Deadbolt to be operated with a thumb turn from the inside of the door • Reversible bolt for fitting on both left and right hinged, inwards and outwards opening doors 	
	<h2>REBATES</h2> <ul style="list-style-type: none"> • Suitable for all British Standard and Fortress Mortice Sashlocks in the range • Enables a mortice door lock to be fitted to rebated French doors • Available in two sizes - 12.7mm and 25.4mm and is non handed to reduce stock holding <p>Note: <i>If the rebate kit is fitted with a British Standard lock the Kitemark insurance accreditation will become void, meaning that your product will no longer be covered by your insurance policy if declared.</i></p>	

Padlocks

High quality, High Durability. If you want a reliable, strong, well-built padlock, the ERA padlock range provides a small, but focused suite of products.

    	<h2>PROFESSIONAL RANGE</h2> <ul style="list-style-type: none"> • High quality padlocks to suit your individual requirements each manufactured from Molybdenum stainless steel which is used in the manufacture of missiles, aircrafts and within the power industry due to its enhanced corrosion resistance. Dual stainless steel ball bearing locking protects the shackle against potential pull attacks • Each padlock equipped with a 5 double pin cylinder with magnetic pin for ultimate anti-pick, anti-bump and anti-drill resistance • Available in 89mm Rectangular Shutter Lock, 60mm Long Shackle, 60mm Extra Long Shackle and 60mm Closed Shackle versions 	
    	<h2>HIGH SECURITY RANGE</h2> <ul style="list-style-type: none"> • Selection of High Security Padlocks and the ERA Keysafe • ERA Key Safe is a convenient solution for carers, friends and family of those that cannot access their door easily or multiple users of a property • Discus is supplied with a lever locking mechanism and a precision 4 pin brass cylinder for Anti Bump, Anti Pick and Anti Drill cylinder protection • Brass and aluminium padlocks in various sizes 	
    	<h2>DOMESTIC RANGE</h2> <ul style="list-style-type: none"> • The Domestic Range consists of laminated, weatherproof, brass and combination padlocks • All have individual security ratings and advice on application; allowing customers to pick the most suitable product for their requirements 	
	<h2>CLOSED SHACKLE PADLOCK</h2> <ul style="list-style-type: none"> • Padlock has a 5 brass lever locking mechanism with a close hardened steel shackle • Ideal with use on gates, sheds or for securing ladders with chains as a visible deterrent 	

Multi-Point Locks

ERA's range of MLP's are suitable for PVCu, composite, steel-faced and timber entrance doors. Our extensive combinations of locks, rollers and linear bolts ensure a solution for every type of application requirement.



ERA

EURO

- Euro Profile Cylinder Operation
- Variety of Cylinder Sizes
- Centre Hook or Deadbolt



**ERA
INVINCIBLE**

INVINCIBLE


- Invincible Cylinder Operation
- Five times more metal than a standard cylinder
- 6 Pin Anti-Snap, Bump, Pick, and Drill
- Centre Hook or Deadbolt



**VECTIS
PLUS+**

VECTIS PLUS

- Patented five-lever gearbox
- Cylinder free - anti bumping, snapping, plug extraction
- Hardened steel plates for strength
- Centre hook or deadbolt



Secured by Design
PAS 024

240 HOURS
Corrosion
Resistance

3 HOOK 2 ROLLER

- Multi Point lock for PVCu doors, designed to operate using a Euro Profile Cylinder and compatible 92mm handle also incorporates a split spindle function for lever pad handle applications
- Triple high security steel hooks lock into steel keeps offering maximum resistance to forced entry
- Bi-directional throw of the hooks protects the door from being jemmied
- Twin precision adjustable rollers enhance compression performance and maximise weather sealing

p
PVCu



Secured by Design
PAS 024

240 HOURS
Corrosion
Resistance





2 HOOK

- Twin brass hooks for anti-separation, protects the door from being jemmied
- Bi-directional throw of all locking feature for enhanced anti-lift
- Non-handed lock with easily reversible latch bolt to minimise stock requirements
- Split spindle function for lever pad handle with application and snib facility as standard

t
Timber
C
Composite





Friction Hinges

Our stainless steel friction stays offer improved functionality in fitting, security and weathersealing. Enhanced weight carrying and high performance for all sizes and window types.

 <p>Secured by Design PAS 024 240 HOURS Corrosion Resistance</p>	<h2>HORIZON EGRESS EASY CLEAN</h2> <ul style="list-style-type: none"> Designed in high quality stainless steel for safety and emergency exits in accordance with current standards Designed to accommodate window sizes up to 20kgs, 650mm wide x1300mm high and to meet the requirements of BS 5588-1:1990 and the building regulations document B Fire safety 2000 edition Egress friction hinges are ideal for first floor window applications when used in conjunction with non locking operating handles Capable of meeting the requirements of BS 6375-1 and 2 	<p>p PVCu</p> <p>t Timber</p> <p>a Aluminium</p>
 <p>Secured by Design PAS 024 240 HOURS Corrosion Resistance</p>	<h2>E1 EGRESS</h2> <ul style="list-style-type: none"> Opens initially to egress to support escape access and offers an easy clean position, with a maximum 90 degree opening Simply closing the window resets the hinge without any additional button activation Easy clean is achieved by using a turn feature, operated by an ERA window handle key or small coin Available in two stack heights - 13mm and 17mm with adjustable friction to suit the individual weight of the window 	<p>p PVCu</p> <p>t Timber</p> <p>a Aluminium</p>
 <p>Secured by Design PAS 024 240 HOURS Corrosion Resistance</p>	<h2>HORIZON STANDARD</h2> <ul style="list-style-type: none"> Designed with friction adjustment to hold a window open and stay in position Manufactured from high quality stainless steel, the hinge is designed for high performance on all window types and sizes Offers optimum weathersealing and operational performance 	<p>p PVCu</p> <p>t Timber</p> <p>a Aluminium</p>
 <p>BS 3621:2017 PAS 024 240 HOURS Corrosion Resistance</p>	<h2>HINGEGUARD</h2> <ul style="list-style-type: none"> Designed to provide extra security to the hinge side of a casement window Engages only when a window is under security attack Twin security plates prevent disengagement by clamping together to support the hinge against jamming 	<p>p PVCu</p> <p>t Timber</p>

Door Knockers

Our door knockers are available in a range of styles and finishes which form part of the Perfectly Matching Home range. The Hardex Electro finish is amongst the more resilient and attractive in the world today and is perfectly matching not only in colour, but in form as well.

 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>BULL RING</h2> <ul style="list-style-type: none"> The Bull Ring Door Knocker has a heritage design to create an elegant finish to a heritage style front door Patented face fixing plate works with all major door materials giving easy installation; no need for fixing bolts or drilling through the door Available in Black, White and all Hardex Finishes 	<p>p PVCu</p> <p>t Timber</p> <p>c Composite</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>NU VICTORIAN - MEDIUM & SLIMLINE</h2> <ul style="list-style-type: none"> A classic designed door knocker that creates an elegant and stylish entrance to your front door Options of with or without spyhole (spyhole sold separately) Patented face fixing plate works with all major door materials giving easy installation; no need for fixing bolts or drilling through the door. (unless using the optional door viewer) Available with or without the door viewer aperture, with a wide range of viewers and extensions to cater to all major door depths Available in Black, White and all Hardex Finishes 	<p>p PVCu</p> <p>t Timber</p> <p>c Composite</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>CONTEMPORARY</h2> <ul style="list-style-type: none"> The Contemporary Door Knocker brings a modern feel and design to your front door Patented face fixing plate works with all major door materials giving easy installation; no need for fixing bolts or drilling through the door Available in Black, White and all Hardex Finishes 	<p>p PVCu</p> <p>t Timber</p> <p>c Composite</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>NU LION'S HEAD</h2> <ul style="list-style-type: none"> The Nu Lion's Head Door Knocker brings a classic and elegant design to your front door Patented face fixing plate works with all major door materials giving easy installation; no need for fixing bolts or drilling through the door Available in Black, White and all Hardex Finishes 	<p>p PVCu</p> <p>t Timber</p> <p>c Composite</p>











Door Accessories

We focus on even the smallest details with the biggest range to ensure every home has a fully suited hardware to enhance your front door.

 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>NU MAIL LETTERPLATE</h2> <ul style="list-style-type: none"> • Stylish and classic metal letterplate provides optimal quality and durability, with fully coloured matched metal edge • Anti-snap flap opens to 180 degrees with a fully sprung return, giving clear access for A4 mailings • Fully weather sealed to prevent any draft or rain water coming through • Secure fixings ensure the letterplate can only be removed from the inside of the house 	<p>p PVCu</p> <p>t Timber</p> <p>C Composite</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>NU MAIL EDGE LETTERPLATE</h2> <ul style="list-style-type: none"> • High security letterplate with anti-snap flap • Internally fixed screws and UV-safe black ABS frame • Opens to 180 degrees with a fully sprung return giving clear access for A4 mailings 	<p>p PVCu</p> <p>t Timber</p> <p>C Composite</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>DECORATIVE DOOR KNOB</h2> <ul style="list-style-type: none"> • Our decorative knobs are the perfect way to add the finishing touches to your door • Optional fittings with a secret bracket or bolt through fixing • Available in Black, White and all Hardex Finishes 	<p>p PVCu</p> <p>t Timber</p> <p>C Composite</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>LETTERS & NUMERALS</h2> <ul style="list-style-type: none"> • Letter and numerals for a classic design with a contemporary twist to create and elegant and stylish door • Supplied with colour coordinated screws, providing perfectly matching hardware • Available in Black, White and all Hardex Finishes 	<p>p PVCu</p> <p>t Timber</p> <p>C Composite</p>

Door Accessories

We offer a wide range of accessories to suit all internal or external applications and take care to ensure all hardware has the same care and attention to finish, ensuring they suite together perfectly.

	<h2>DOOR KNOB SETS</h2> <ul style="list-style-type: none"> • Entrance door knob set allows you to lock either side of the door • Passage door knob set is suitable for internal doors and is a non-locking. it allows free access at all times • Privacy knob set are ideal for bathrooms and bedrooms giving privacy whilst also allowing easy access in case of emergency • Dummy door knob is permanently fixed to the door, must be used in conjunction with a tubular roller latch • Latch bolt is adjustable to either 60mm or 70mm for each of the above 	 Timber
	<h2>RIM LOCKS</h2> <ul style="list-style-type: none"> • Rim locks are suitable for a variety of applications, including cottage doors and shed doors • Surface mounted on door face • Sashlock versions can be supplied with or without knob handles • Supplied with two steel keys. • Deadlock versions are available in Black and Grey finishes. Sashlocks versions are available in Black, Brass, Grey and Chrome finishes 	 Timber
	<h2>DOOR VIEWERS</h2> <ul style="list-style-type: none"> • The door viewer allows visual identification of callers without the need to open the door • Comes complete with an internal privacy cover • Made of precision optical glass • Adjustable to fit doors 35mm to 54mm thick 	 PVCu  Timber  Composite
	<h2>LATCHES</h2> <ul style="list-style-type: none"> • Roller Latch - Simple latch device for all internal doors. Can be used with either lever handles or knob handles and suitable for 35mm-54mm thick doors • Tubular Latch - Simple latch device for all internal doors. Can be used with either lever handles or knob handles and suitable for 35mm-54mm thick. Ideal for use where no locking is required • CE Tubular Latch - Suitable for use on fire or smoke resisting doorsets. Simple latch device for all internal doors. Can be used with either lever handles or knob handles and suitable for 35mm-54mm thick doors 	 Timber

Door Hinges

See here, our perfectly matching range of door hinges that allow for different door style. Offering enhanced security and adjustment options for ease of fitting.

 <p>PAS 024 480 HOURS Corrosion Resistance Secured by Design Police Preferred Specification</p> <p>Fab&Fix</p>	<h2>ANCHORAGE HD</h2> <ul style="list-style-type: none"> • Classic high security door hinge with superior styling and long reach sash plate and integral fixing lugs for a secure fixing • Security sash cover cap and extended fixing pin to prevent intrusion • Suitable for inward or outward opening doors with true 3D adjustment for real ease of fabrication and fitting • Weight loading capacity of 90kg for 3 hinges, available in 14mm, 17mm and 21mm stack heights 	 <p>PVCu</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>ANCHORAGE IS</h2> <ul style="list-style-type: none"> • Classic lift on/lift off or lift out flag design • Traditional assembly, ease of fitting, allows sash removal in low ceiling applications • True 3D adjustment with supplied allen keys allows for final tweaking and perfect sash alignment • Weight loading capacity of 90kg for 3 hinges, available in 14mm, 17mm and 21mm stack heights 	 <p>PVCu</p>
 <p>PAS 024 240 HOURS Corrosion Resistance Secured by Design Police Preferred Specification</p>	<h2>MAXIM</h2> <ul style="list-style-type: none"> • The Maxim range of adjustable door hinges have been designed specifically for PVCu doors • Hinges are supplied partly assembled in three separate parts to allow frame side and sash side components to be fitted separately which can save valuable time in fabrication • Fixtures into the sash reinforcing chamber provides optimum security if the door came under attack • Hinges are handed left and right 	 <p>PVCu</p>
 <p>PAS 024 240 HOURS Corrosion Resistance Secured by Design Police Preferred Specification</p>	<h2>NEXUS</h2> <ul style="list-style-type: none"> • Classic lift on/lift off or lift out flag design with a traditional assembly with a long reach sash plate and integral fixing lugs for a secure fixing • Unique 3D adjustability – Lateral, Height & Compression • Stainless steel stabilising pins locate into the reinforcement provides enhanced security • Weight loading capacity of 100kg for 3 hinges 	 <p>PVCu</p>

Door Hinges

For composite and timber doors, our range of security hinges offer excellent security performance as well as aesthetics for all tastes and suites with the rest of your chosen hardware range.

 <p>Fab&Fix</p>	<h2>HAVEN HD</h2> <ul style="list-style-type: none"> • Low profile design specifically for composite and timber doors, dedicated performance, unobtrusive appearance • Interchangeable, colour coordinated sash plate, perfectly matching the colour of the door • 2D adjustable with supplied Allen keys, allows for final tweaking and alignment • Sash plate detail compatible with all composite slabs • Security Anti Lift Pin • Weight loading capacity of 90kg for 3 hinge 	 <p>Composite</p>
 <p>PAS 024 Secured by Design</p>	<h2>CHALLENGER COMPOSITE</h2> <ul style="list-style-type: none"> • The Challenger sash piece is highly adjustable in 2 or 3 directions to ease the installation process • Secured security pin for inward and outward opening doors • True 3D Adjustment for real ease of fabrication and fitting • Weight loading capacity of 90kg for 3 hinge 	 <p>Timber</p>  <p>Composite</p>
 <p>PAS 024 NEIGHBOURHOOD WATCH</p>	<h2>DOG BOLT</h2> <ul style="list-style-type: none"> • Designed to give enhanced protection to door fitted with non PAS compliant hinges, allowing door systems to achieve hinge side PAS 24 performance • On closing the door the aluminium hook passes through the receiver into the routed chamber within frame • In the event of an unauthorised force applied to the door sash, the dog bolt automatically engages into the frame reinforcing preventing entry • Available in two solutions to suit most major PVCu door systems and has two receivers available dependant upon application 	 <p>PVCu</p>
	<h2>HINGE BOLT</h2> <ul style="list-style-type: none"> • The hinge bolt offers added security on external door with exposed hinges, helping prevent doors from being forced off their hinges • Suitable for all wooden internal and external doors. Essential for all outward opening doors, manufactured from hardened from hardened steel to resist hacksawing 	

Door Bolts

The same attention and care goes into our doorbolts as the main hardware themselves, offering a visible high quality you can trust.



DOOR SECURITY BOLT

- Offers concealed security for internal/external timber doors, helps to restrict access during certain times of the night or day
- Morticed into internal doors which offers concealed security from one direction
- Recommend fitting at top and bottom of doors for extra security



Timber



THUMBTURN

- Thumbturns are permanently fixed to the door and used in conjunction with a door security bolt
- Turning the knob handle locks/unlocks the bolt
- Allows easy access in case of emergency



Timber



MULTI PURPOSE BOLT

- Enhances your security requirements, ideal for fitting to aluminium, wooden sliding and hinged doors
- Long bolt throw makes it ideal for patio and garage doors
- Rotating hardened steel bolt resists hacksawing and fixing screws are concealed when in the locked position



Timber



Aluminium






















PATIO DOOR LOCK

- Designed to enhance the security of sliding patio doors, preventing them from being lifted and opened
- Fits to most types of metal, wood and PVCu patio door including those that slide on the inside or outside track
- Locks automatically on closing with a key for simply unlocking
- The hardened steel pin in the bolt resists hacksawing, along with all fixing screws concealed when the door is locked

Door & Window Restrictors

Variety of door and window restrictors offering extra security and restricts access giving you peace of mind.

 	<h2>CHILD SAFETY RESTRICTOR</h2> <ul style="list-style-type: none"> • A stylishly designed universal solution for windows and doors where a restricted opening is required • Ideally suited to homes with families and is compliant child resistant locking device for windows and balcony doors in accordance with BS EN16281: 2013 • Classified in accordance with BS EN: 13126-1: 2011 Grade 3 Impact Resistance (includes BS EN 13126-5), for building hardware restricted devices on windows and doors. • Available in White, Brown, Polished Gold and Polished Chrome 	 PVCu  Timber  Aluminium
 	<h2>SLIDE DOOR CHAIN</h2> <ul style="list-style-type: none"> • Allows minimal opening for conversation • When the chain has been located in the bracket conversation can take place through the door • Door needs to be in the closed position to be unchained • When in the linked position, conversation can take place through the door whilst being secured 	 PVCu  Timber  Composite
	<h2>CONCEALED DOOR CHAIN</h2> <ul style="list-style-type: none"> • The concealed door chain gives extra security for external doors and is fitted concealed in the door frame • The push button operation facilitates quick and easy locking and is especially suitable for the elderly • When in the locked position, conversation can take place through the door whilst being secured • The door chain can only be unlocked when the door is closed 	 PVCu  Timber  Composite
 	<h2>DOOR RESTRICTOR</h2> <ul style="list-style-type: none"> • The Door Restrictor is designed to limit the door opening prior to allowing entrance to visitors • Easily applied and released when the door is closed 	 PVCu  Timber  Composite











Window Handles

We offer a market leading wide range of window handles and perfectly matching window stays for new windows, replacing or upgrading your current handles.

 <p>Secured by Design PAS 024 480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>CONNOISSEUR</h2> <ul style="list-style-type: none"> • This Inline Locking Window Handle has a classic design giving a contemporary twist which creates an elegant and stylish window • The button has been ergonomically designed for easy operation and the long lever gives you a practical handle for turning • Designed with a heavy duty sprung latching wedge giving a positive click on closing ensuring the window is locked • Handle has key deadlocking for security and can also be supplied in left or right handed variations • Available in all Hardex Finishes 	<p>p PVCu</p> <p>t Timber</p>
 <p>Secured by Design 96 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>MAXIM</h2> <ul style="list-style-type: none"> • A modern stylish lockable window handle with a distinctive scallop feature for use with an espagnolette window lock • For replacing existing handles with 40mm spindle is ideal as this can be cut to size • Can also be supplied in left or right handed variations 	<p>p PVCu</p> <p>t Timber</p> <p>a Aluminium</p>
 <p>PAS 024 480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>MONKEY TAIL & STAY</h2> <ul style="list-style-type: none"> • An elegant design inspired by the 19th century ironmongery • Ideally suited for heritage casement windows for a classic finish and use with an espagnolette window lock • Manufactured from zinc with a specially formulated finish for a tough hard wearing finish • Matching operating or dummy stay available to create the perfectly matching window 	<p>p PVCu</p> <p>t Timber</p>
 <p>PAS 024 480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>TEAR DROP & STAY</h2> <ul style="list-style-type: none"> • Distinct antique inspired look engineered to modern standards • Strength tested to the equivalent of a modern espagnolette window handle • Manufactured from zinc with a specially formulated finish for a tough hard wearing finish • Matching Operating or Dummy Stay available to create the perfectly matching window 	<p>p PVCu</p> <p>t Timber</p>












Window Handles

Great quality locking and non-locking window handles which offer excellent performance and come in a full range of Hardex finishes.

 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>CRAFTSMAN</h2> <ul style="list-style-type: none"> • A heavyweight handle with a sturdy feel made from a solid die cast construction • Handle locates securely onto the peg ensuring the window is tightly sealed • Each supplied with colour coordinated screws • Available in Hardex Finishes 	 <p>Timber</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>CRAFTSMAN STAY</h2> <ul style="list-style-type: none"> • Heavyweight locking stay bar with a sturdy feel designed with a contemporary slim bar that's both elegant and stylish • Matching casement fastener handle available • Each supplied with colour coordinated screws • Available in Hardex Finishes 	 <p>Timber</p>
	<h2>808 WINDOW LOCKING</h2> <ul style="list-style-type: none"> • Slim classic locking window handle that enhances the look of any timber window • Self-locking with the key only required to unlock or deadlock secure • The mechanism allows fully closed locking or partial opening • 100 key variations available 	 <p>Timber</p>
 <p>96 HOURS Corrosion Resistance</p>	<h2>CHARISMA COCKSPUR</h2> <ul style="list-style-type: none"> • Designed with a slender grip and a simple release button. • Universal handle suitable for replacing on existing cockspur handles. • The nose closes over the frame wedge on closing, securing the window • Available in two nose heights with a selection of wedges to suit alternative windows 	 <p>PVCu</p>  <p>Timber</p>  <p>Composite</p>

Window Locks

Multi-point locks for windows, suitable for all PVC and timber profiles and designed to support all levels of security requirements.

  	<h2>EXTREME³</h2> <ul style="list-style-type: none"> • A shootbolt locking system that has been designed to prevent attack on all 3 planes - back and forward, side to side, and up and down giving unattainable levels of security • Non-croppable shootbolt locking system with a minimum of 8 points locking giving you the ultimate burglar deterrent • Heavy duty bolt has up to 300% of the contact area against competitor shootbolts thus providing the most secure shootbolt on the market • Two steel cams on the Shootvault(TM) slide into a central keep to provide additional security on either side of the deadbolt 	  
  	<h2>EXTREME¹</h2> <ul style="list-style-type: none"> • A shootbolt locking system designed to prevent attack on all 3 planes - back and forward, side to side and up and down giving unattainable levels of security • Non-croppable shootbolt locking system with a minimum of 8 point locking giving the ultimate burglary deterrent • Unique locking bolts and adjustable mushroom cams 	  
 	<h2>ESPAGNOLETTE - EASY REACH</h2> <ul style="list-style-type: none"> • Ideal for use in kitchens or bathrooms where the window handle needs to be positioned lower on the window for ease of reach • Low handle height positioning for easy reach operation with adjustable mushroom headed cams • Positive locking used in conjunction with all espagnolette window handles • 20mm and 22mm backset options 	  
 	<h2>ESPAGNOLETTE</h2> <ul style="list-style-type: none"> • Designed to be quick to install and a low cost hardware solution for all types of casement windows • Adjustable mushroom heads • 20mm and 22mm backset options 	 

Vertical Sliding Windows

An extensive range of balance springs to suit all sliding window Configurations.

Perfectly matching locking cams aesthetically designed to suit all window styles and security requirements.



D BALANCE

- D Type balances are light duty, economical, general purpose balances for domestic or commercial applications
- Stainless steel rods maintain the equilibrium of a sash window at any point in the travel of the sash
- Suitable for sashes having glazed weights of up to 18.15kgs (40lbs) and server hatches up to 6.8 kgs (15lbs)



F/K BALANCE

- Balances are supplied pre-tensioned, reducing the need for adjustment on site
- Twin springs provide assisted lift and smooth easy operation
- Recommended for retirement homes, hospitals or nursing homes as the dual action of the torsion and tension springs work to give assisted lift, making the operation easier with heavier installations



HIGH SECURITY CAM LOCKS

- Classically designed standard Cam Lock that sit discreetly on the window with key deadlocking
- Stainless steel keep faceplate and forged cam gives resistance to physical attacks
Can be fitted with standard matching keep if security not required
- Sits discreetly on the window giving you a choice of Classic, Heritage or Architectural styles
- Available in all Hardex finishes for perfectly matching window hardware



CLASSIC CAM LOCKS

- Classically designed standard Cam Lock that sit discreetly on the window with key deadlocking
- Suits all window materials with a range of different keeps to suit specific profiles
- Available in all Hardex finishes



Vertical Sliding Windows

Range of accessories available in Classic, Heritage and Architectural designs. Perfectly matching in all hardex finishes.

 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>SASH KNOB</h2> <ul style="list-style-type: none"> • Sturdy easy to grip solid die cast zinc construction • Sculptured designs in Classic, Heritage or Architectural to perfectly match the cam locks 	<p>p PVCu</p> <p>t Timber</p> <p>a Aluminium</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>SASH HANDLE</h2> <ul style="list-style-type: none"> • Sturdy easy to grip pull handle • Suitable for all sash window types • This versatile handle is also suitable for a wide range of applications around the home 	<p>p PVCu</p> <p>t Timber</p> <p>a Aluminium</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>SASH PULL</h2> <ul style="list-style-type: none"> • Easy grip helps to slide the window. • The sturdy design gives easy operation • Suits all types of sliding sash window applications 	<p>p PVCu</p> <p>t Timber</p> <p>a Aluminium</p>
 <p>480 HOURS Corrosion Resistance</p> <p>Fab&Fix</p>	<h2>SASH EYE</h2> <ul style="list-style-type: none"> • Sash eye or ring pull for vertical sliding sash windows • For ease of operation when opening closing vertical windows • Suits all types of sliding sash window applications 	<p>p PVCu</p> <p>t Timber</p> <p>a Aluminium</p>

Window & Door Accessories

Convenient additional security to suit any door window.

 <p>480 HOURS Corrosion Resistance</p>	<h2>SASH JAMMER</h2> <ul style="list-style-type: none"> • Ideal additional security for PVCu windows • Simple to operate and easy to fit • Non-handed for use on all applications • Window can be securely locked by additional locking mechanism 	 <p>PVCu</p>
	<h2>SNAPLOCK PVCU</h2> <ul style="list-style-type: none"> • Locking mechanism that simply snaplocks into place • Keyed version, key is required to open. 100 key variations available • Also suitable for upgrading security on PVCu doors • Can be supplied either locking (Ref 832) or non-locking (Ref 830) 	 <p>PVCu</p>
	<h2>SNAPLOCK METAL</h2> <ul style="list-style-type: none"> • Snaplocks automatically on closing, key only required to unlock • Mechanism is designed to allow for any subsequent movement of the window frame • Plugs conceal and protect the fixing screws 	 <p>Aluminium</p>
	<h2>SNAPLOCK TIMBER</h2> <ul style="list-style-type: none"> • Snaplocks automatically on closing, key only required to unlock • Available as a standard D section or cut key versions • Mechanism is designed to allow for any subsequent movement of the window frame • Plugs conceal and protect the fixing screws • Ideal for use on most types of casement, side hung or top hung windows 	 <p>Timber</p>

Garage & Shed Plates

Braces and plates for a multitude of DIY applications around the home inside and out.



CORNER BRACE

- Used in the construction of corner on tee joints in frames
- Countersunk both side of plate for fixing together joints either inside or outside frames




CORNER PLATE

- Corner plates used in the construction of 'L' joints in light framing
- It can be recessed flush or face mounted
- Two plates per face should be used to give the strongest possible joint



MENDING PLATE

- Used in the construction of butt joints in light framing and as a strengthening plate for split spars
- Two plates per face should be used to give the strongest possible joint
- Countersunk screw holes gives a flush finish



TEE PLATE

- Used in the construction of T joints in light frames
- Can be used on multiple applications
- Countersunk screw holes gives a flush finish



Garage & Shed Lockable Bolts

Excellent quality lockable bolts.



OVAL PADBOLT

- A simple little oval padbolt ideal for narrow applications such as small sheds or gates
- Suitable for either left or right handed profiles
- Additional security can be held as the bolt can also be locked into position by using a small padlock



CROSS PATTERN DOOR BOLT

- Heavy duty door bolt can be fitted to either top or bottom, horizontal or vertically to doors or gates to secure them closed
- The bolt can be secured in a locked position by a padlock (not supplied)



MEDIUM BOLT PADBOLT

- Brenton padbolts are a simple locking devise for gates, sheds and cottage type doors
- Can be screwed or bolted into place (not included)
- Can be locked once the bolt has been thrown into the closed position




SAFETY HASP AND STAPLE

- Designed so when in the locked position there are no screws visible as the hasp closes back on itself to secure to staple
- Padlock required to secure

Garage & Shed Gate Fittings

Great for budgets or when your home expands.



AUTOMATIC GATE LATCH

- Door and gate fastener only allows opening from one direction
- Thumb lever action allows the bar free from the hook
- Automatically relocates on closing



CABIN HOOK

- Simple hook is ideal for securing gates or doors in the open or closed position
- Ideal for use outdoors in windy conditions to stop the gate slamming shut or swinging



TOWER BOLT

- A quick a simple catch for securing flush fitted gates and shed doors
- To secure into position simply throw the bolt across
- Bolt folds flush against the base plate



LIGHT SUFFOLK GATE LATCH

- Traditional door and gate fastener allows opening from either side of the door or gate
- Lever action lifts the bar off the hook plate to open
- Ideal for small garden gates

Garage & Shed Garage Bolts

High quality bolts for securing garage and shed doors.



CHAIN BOLT

- Fits to the inside top of garage or heavy doors to secure them closed
- Simply pull the chain to release the latch
- A spring loaded latch automatically re-engages on closing
- Simple reversible bolt for inward or outward doors



FOOT BOLT

- The foot bolt fits to the inside bottom of garage or heavy doors to secure them closed
- Simply use your foot on the lever to release the bolt
- To release the bolt back into the locked position simply press your foot on the bolt top



BOW HANDLE DOOR BOLT

- Can be fitted to either top or bottom of doors or gates to secure them closed
- Bolt is spring loaded to prevent it from dropping
- The shape of the pull handle allows you to hold the bolt comfortably to give a strong pull



MONKEY TAIL DOOR BOLT

- Can be fitted to either top or bottom of doors or gates to secure them closed.
- Bolt is spring loaded to prevent it from dropping
- Strong tail with button end allows a strong grip to pull the tail to open the bolt.



Weatherseals

Made with a unique combination of materials and with technical performance unparalleled by any other material used in seals, Schlegel Q-Lon offers the highest standard of sealing function – even under extreme conditions.

Q-LON FOAM SEALS

Continuous research and development, as well as strict material inspection and quality inspections, have made Q-Lon one of the best established sealing systems in the industry today.


- Excellent memory - Returns to its original shape after long compression
- Stability - Low/no stretch gained by rigid insert or glass fibre internal cord
- Easily compressed - Low compression forces, unaffected by temperature variance
- Acoustics - Outstanding acoustic performance
- Thermal conductivity - Unrivalled thermal performance
- Paint and stain proof - Properties unaffected by standard paints and stains
- Stabilised - Unaffected by rot, fungi, UV-light or ozone
- Colours - White, black, brown, grey and many other options
- Temperatures - Wide operating range under extremely cold and warm weather conditions

Independent Testing

Q-Lon has been extensively tested by independently certified test facilities that clearly demonstrate its superior performance over other commonly used seal materials and constructions. In particular, it has been shown that Q-Lon seals retain their properties and performance significantly better over time when, after 10,000 cycles of window and / or door opening and closing, other materials lose their ability to meet the normal operational requirements.

Areas affected include weathering performance, thermal insulation, sound attenuation and air tightness.

A good guide to the performance of weatherseals and gaskets can be found in EN 12365:2003.



PVCu



Timber



Composite

Part Code Index

Product												
Product												
Alarm Range (Page 1-2)												
Description		Part Code			Description				Part Code			
DoorCam (BLACK)		ERA-DOORCAM-B			External Replica Siren				ERS26B			
DoorCam (WHITE)		ERA-DOORCAM-W			Solar Charged External Siren				ESS260B			
HomeGuard Pro		ERA-HOMEGUARD			Wireless Door Intercom System				E1000			
TouchKey Nightlatch 40mm		ERA-TK40-NL-CHR			Personalised Disarming Tag				TAG26			
TouchKey Nightlatch 60mm		ERA-TK60-NL-CHR			External Powered Siren				WS280			
TouchKey Nightlatch & RPU 40mm		ERA-TK40-NL-CHR+RPU			Internal Plug-in Siren				WS105			
TouchKey Nightlatch & RPU 60mm		ERA-TK60-NL-CHR+RPU			Wire-free Touch RFID Keypad				KP700			
HomeCam		IP116			Water Flood Sensor				WI210			
Invincible Alarm System		ERA-INVINCIBLE			Vibration Sensor				WD80			
Valiant Wireless Solar Siren Alarm		ERA-VALIANT			Range Extender / Repeater Unit				RT101			
Door/Window Magnetic Sensor		EMAG			Personal Alert Fob				SOS100			
Pet-Friendly PIR Motion Sensor		EPIR			Ceiling PIR Sensor				P700			
Remote Control Keyfob		ERA-REMOTE			Curtain PIR Motion Sensor				P800			
Lockdown Part Code (Page 3)												
Description		Double Door 50mm			Double Door 60mm			Single Door				
ERA Lockdown - Double Door 50mm		ERA-LOCKDOWN-DBL50			ERA-LOCKDOWN-DBL50			ERA-LOCKDOWN-SGL				
Door Handles Part Code (Page 4)												
Description		Anthracite Grey	Antique Black	Hardex Bronze	Hardex Chrome	Hardex Gold	Hardex Graphite	Hardex Satin	Black	Silver	White	
Berwick Sprung Inline L/L 70mm		-	1R066	1R063	1R061	1R065	1R068	1R062	8B042	-	1R060	
Balmoral Sprung Inline L/L 60-70mm		1R060	1A004	1A003	1D003	1D001	1D005	1D008	1D006	1D002	1A002	
Windsor Sprung Inline L/L		1B005	1F006	1F003	1F001	1F005	1F008	1F002	1B001	1B002	1B000	
Nightlatches Part Code (Page 5)												
Description		Brass		Chrome		Satin Chrome		Satin Nickel		Grey		
British Standard Nightlatch 40mm		1830-31		1830-37-1		1830-35-1		1830-40-1		-		
British Standard Nightlatch 60mm		1930-31		1930-37-1		1930-35-1		1930-40-1		-		
Double Locking Nightlatch 40mm		183-31		184-31		183-37-1		183-40-1		-		
Double Lock Nightlatch 60mm		193-31		193-37-1		193-35-1		193-40-1		194-31		
Description		Brass		Chrome		Satin (Brass Cyl)		Satin (Satin Cyl)		White (Brass Cyl)		
Replacement Nightlatch 40mm		1430-31		1430-37-1		1430-37-1		1430-51		1430-51		
Replacement Nightlatch 60mm		-		-		1630-51		1650-51		1630-11		
Description		Brass Effect			Chrome Effect			Green (Brass cyl)			Green (Satin cyl)	
Traditional Nightlatch 60mm		133-31			136-61			133-81			135-81	
Cylinders Part Code (various sizes available on request) (Page 6)												
Description		Part Code			Description				Part Code			
BS Invincible Dbl Cyl Brass		BS-INV-***-31			BS 3* Fortress T/Turn Cyl Dual Colour				BS-FOR-T**/*-DC-1			
BS Invincible Dbl Cyl Satin		BS-INV-***-51			BS 1* Dbl Cyl Brass				BS-****-31			
BS Invincible T/Turn Cyl Brass		BS-INV-T**/*-31			BS 1* Dbl Cyl Satin				BS-****-51			
BS Invincible T/Turn Cyl Satin		BS-INV-T**/*-51			Euro Profile 6 Pin Dbl Cyl Brass				Various sizes available on request			
BS 3* Fortress Dbl Cyl Dual Colour		BS-FOR-***-DC-1			Euro Profile 6 Pin Dbl Cyl Satin				Various sizes available on request			
Mortice Lock Part Code (Page 7-8)												
Description		Brass Effect	Satin	Chrome Effect	Description				Brass Effect	Satin	Chrome Effect	
British Standard Fortress Classic Deadbolt 64mm		231-31	231-51	-	Viscount 5 Lever Deadbolt 76mm				301-31	301-51	301-61	
British Standard Fortress Classic Deadbolt 76mm		331-31	331-51	331-61	Viscount 5 Lever Sashbolt 64mm				202-31	202-51	202-61	
British Standard Fortress Classic Sashbolt 64mm		232-31	232-51	-	Viscount 5 Lever Sashbolt 76mm				302-31	302-51	302-61	
British Standard Fortress Classic Sashbolt 76mm		332-51	332-51	-	Viscount Euro Cylinder Deadbolt 64mm				225-31	225-51	-	
British Standard Fortress Euro Cylinder Deadbolt 64mm		263-31	263-51	263-61	Viscount Euro Cylinder Deadbolt 76mm				325-31	325-51	-	
British Standard Fortress Euro Cylinder Deadbolt 76mm		-	363-51	363-61	Viscount Euro Cylinder Sashbolt 64mm				226-31	226-51	-	
British Standard Fortress Euro Cylinder Sashbolt 64mm		264-31	264-51	264-61	Viscount Euro Cylinder Sashbolt 76mm				326-31	326-31	-	
British Standard Fortress Euro Cylinder Sashbolt 76mm		-	364-51	364-61	Bathroom Lock 64mm				243-31	-	243-61	
British Standard Fortress 5 Lever Deadbolt 64mm		261-31	261-51	261-61	Bathroom Lock 76mm				343-31	-	343-61	
British Standard Fortress 5 Lever Deadbolt 76mm		361-31	361-51	361-61	Rebate Set for Fortress Deadbolt Mortice Lock 13.5mm				426-31	426-51	426-61	
British Standard Fortress 5 Lever Sashbolt 64mm		262-31	262-51	262-61	Rebate Set for Fortress Deadbolt Mortice Lock 25mm				427-31	427-51	-	
British Standard Fortress 5 Lever Sashbolt 76mm		362-31	362-51	362-61	Rebate Set for Fortress Sashbolt Mortice Lock 13.5mm				428-31	428-51	428-61	
Viscount 5 Lever Deadbolt 64mm		201-31	201-51	201-61	Rebate Set for Fortress Sashbolt Mortice Lock 25mm				429-31	429-51	429-61	

Padlocks				(Page 9)		Multi-Point Locks					(Page 10)					
Description		Part Code		Description			Part Code									
Professional Maximum Security Rectangular Shutter Lock		IP-89PROR-BX		Profile Specific			Please call our sales office for more details									
Professional Long Shackle Maximum Security Padlock		IP-60PROL-BX		Friction Hinges							(Page 11)					
Professional Extra Long Shackle Maximum Security Padlock		IP-60PROXL-BX		Description			Part Code									
Professional Closed Shackle Maximum Security Padlock		IP-60PROC-BX		Profile Specific			Please call our sales office for more details									
High Security Aluminium Padlock 38/25mm		IP-38ALB-PC		Reflex Plus 328mm 13mm Stainless Steel			WFRBSJ1290A									
High Security Aluminium Padlock 38/50mm		IP-38ALBL-PC		Reflex Plus 328mm 13mm Stainless Steel			WFRBSJ1690									
High Security Aluminium Padlock 45/25mm		IP-45ALB-PC		Reflex Plus 431mm 17mm Stainless Steel			WFRBSK1290A									
High Security Aluminium Padlock 45/76mm		IP-45ALBL-PC		Reflex Plus 431mm 17mm Stainless Steel			WFRBSK1690									
High Security Discus Padlock 70mm		IP-70DIS-PC		Horizon Egress Easy Clean Friction Stay			336mm 13mm S/Steel									
High Security Laminated Padlock 45/25mm		IP-45LM-CL		Horizon Egress Easy Clean Friction Stay			336mm 17mm S/Steel									
High Security Laminated Padlock 55/25mm		IP-55LM-CL		Horizon Egress Easy Clean Friction Stay			424mm 13mm S/Steel									
High Security Brass Combination Padlock 51/25mm		IP-50COBSL-PC		Horizon Egress Easy Clean Friction Stay			424mm 17mm S/Steel									
High Security Brass Combination Padlock 51/51mm		IP-50COBS-PC		Horizon Egress Easy Clean Friction Stay			424mm 17mm S/Steel									
Key Safe Box		IP-KSAFE-CL		Horizon 210mm 17mm Stainless Steel			WFHZF0817TB									
Black Combination Padlock 21/21mm		IP-20COB-CL		Horizon 261mm 17mm Stainless Steel			WFHZF1017TB									
Black Combination Padlock 30/24mm		IP-30COB-CL		Horizon 311mm 17mm Stainless Steel			WFHZF1217TB									
Black Combination Padlock 40/25mm		IP-40COB-CL		Horizon 414mm 17mm Stainless Steel			WFHZF1617TB									
Solid Brass Padlock 20mm		IP-20BS-CL		Horizon 516mm 17mm Stainless Steel			WFHZF2017TB									
Solid Brass Padlock 40mm		IP-40BS-CL		Hingeguard 13mm Stainless Steel 430			WAHGSG025									
Solid Brass Padlock 40mm Twin Pack		IP-40BSL-CL		Hingeguard 17mm Stainless Steel 430			WAHGSG036									
Solid Brass Padlock 40mm Long Shackle		IP-40BST-CL														
Solid Brass Padlock 50mm		IP-50BS-CL														
Solid Brass Padlock 60mm		IP-60BS-CL														
Weather Proof Laminated Padlock 45mm		IP-45WP-CL														
Weather Proof Laminated Padlock 55mm		IP-55WP-CL														
5 Lever Padlock		975-91														
Door Knockers											Part Code				(Page 12)	
Description		Anthracite Grey	Antique Black	Hardex Bronze	Hardex Chrome	Hardex Gold	Hardex Graphite	Hardex Satin	Black	Silver	White					
Bull Ring 165mm		-	4A603	4A601	4A600	4A602	4A604	--	4A605	-	-					
Victorian Urn Med W/ Spyhole		4A604	4A062	4A053	4A056	4A054	4A058	4A061	4A059	4A055	4A052					
Victorian Urn Med 162mm		4A050	4A012	4A003	4A006	4A004	4A008	4A011	4A009	4A005	4A002					
Victorian Urn Large Slim W/ Spyhole		4A000	4A359	4A356	4A354	4A358	4A361	4A355	4A351	4A352	4A350					
Victorian Urn Large Slim 200mm		-	4A309	4A306	4A304	4A308	4A11	4A305	4A301	4A302	4A300					
Contemporary 150mm		-	4A456	4A453	4A451	4A455	4A458	4A452	-	-	4A450					
Nu Lion's Head 136mm		-	4A406	4A403	4A403	4A405	4A408	4A402	-	-	4A400					
Letters & Numerals											Part Code				(Page 13)	
Description	No.1	No.2	No.3	No.4	No.5	No.6/9	No.7	No.8	A	B	C	D	E	F		
Hardex Chrome	4B304	4B354	4B404	4B454	4B554	4B604	4B654	4B704	4B004	4B054	4B104	4B154	4B204	4B254		
Hardex Satin	4B305	4B355	4B405	4B455	4B555	4B605	4B655	4B705	4B005	4B055	4B105	4B155	4B205	4B255		
Hardex Bronze	4B306	4B356	4B406	4B456	4B556	4B606	4B656	4B706	4B006	4B056	4B106	4B156	4B206	4B256		
Hardex Gold	4B308	4B358	4B408	4B458	4B558	4B608	4B658	4B708	4B008	4B058	4B108	4B158	4B208	4B258		
Hardex Graphite	4B312	4B362	4B412	4B462	4B562	4B612	4B662	4B712	4B012	4B062	4B112	4B162	4B212	4B262		
Antique Black	4B309	4B359	4B409	4B459	4B559	4B609	4B659	4B709	4B009	4B059	4B109	4B159	4B209	4B259		
Black	4B301	4B351	4B401	4B451	4B551	4B601	4B651	4B701	4B001	4B051	4B101	4B151	4B201	4B251		
Silver	4B302	4B352	4B402	4B452	4B552	4B602	4B652	4B702	4B002	4B052	4B102	4B152	4B202	4B252		
White	4B300	4B350	4B400	4B450	4B550	4B600	4B650	4B700	4B000	4B050	4B100	4B150	4B200	4B250		
Letterplates											Part Code				(Page 13)	
Description	Anthracite Grey	Antique Black	Hardex Bronze	Hardex Chrome	Hardex Gold	Hardex Graphite	Hardex Satin	Black	Silver	White						
Nu Mail Midrail 68mm (40-80mm)	3C112	3C106	3C103	3C101	3C105	3C111	3C102	3C108	3C109	3C100						
Nu Mail Panel 68mm (20-40mm)	-	3C306	3C303	3C301	3C005	3C305	3C311	3C308	3C009	3C300						
Nu Mail Midrail 76mm (40-60mm)	-	3C006	3C003	3C001	3C005	3C018	3C002	3C008	3C009	3C000						
Nu Mail Panel 76mm (20-40mm)	-	3C206	3C203	3C201	3C205	3C211	3C202	8D001	3C209	3C200						
Nu Mail Edge Midrail (40-80mm)	-	3A009	3A006	3A004	3A008	3A011	3A005	3A001	3A002	3A000						
Nu Mail Edge Panel (20-40mm)	-	3A059	3A056	3A054	3A058	3A061	3A065	3A051	3A062	3A060						
Door Accessories											Part Code				(Page 13-14)	
Description	Antique Black	Hardex Bronze	Hardex Chrome	Hardex Gold	Hardex Graphite	Hardex Satin	Black	White								
Round Door Knob 75mm	4F005	4F003	4F001	4F004	4F006	4F002	8F007	4F000								
Description	Brass Effect	Satin	Chrome Effect	Description	Brass	Chrome	Zinc									
Entrance Door Knob Set	166-31	166-51	166-61	Door Viewer - Glass Lens 120°	786-32	786-62	-									
Privacy Door Lock Set	168-31	168-31	168-61	Door Viewer - Glass Lens 160°	784-32	784-62	-									
Passage Door Lock Set	170-31	170-31	170-61	Tubular Latch 64mm	188-32	-	188-92									
Dummy Door Knob Set	172-31	172-31	172-61	Tubular Latch 76mm	189-32	-	198-92									

Door Accessories				Part Code				(Page 14)			
Description	Black	Grey	Satin	Brass	Chrome	Chrome Effect	Electro Brass				
Surface Mounted Rim Deadlock 102mm	176-10-2	176-42	-	-	-	-	-				
Surface Mounted Rim Sashlock 143mm	-	-	178-42	-	-	-	-				
Surface Mounted Rim Sashlock 152mm	-	177-42	-	177-10-2	-	-	-				
Surface Mounted Rim Sashlock W/ Knobs 152mm	177-10-2	-	-	177-3-2	177-35-2	177-6-2	177-19-2				
	-	-	-	-	-	-	-				
Door Hinges				Part Code				(Page 15-16)			
Description	Anthracite Grey	Antique Black	Hardex Bronze	Hardex Chrome	Hardex Gold	Hardex Graphite	Hardex Satin	Black	Silver	White	
Anchorage HD Flag Hinge 13.5- 17mm	-	2B009	2B006	2B004	2B008	-	2B005	2B001	2B002	2B000	
Anchorage HD Flag Hinge 16.5 - 21mm	-	2B059	2B056	2B054	2B057	2B061	2B051	2B051	2B052	2B050	
Anchorage HD Flag Hinge 20.5 - 27mm	-	2B109	2B106	2B104	2B107	2B111	2B105	2B101	2B102	2B100	
Anchorage IS Lift Off Flag Hinge 13.5 - 17mm	-	2A009	2A006	2A004	2A007	2A011	2A005	2A001	2A002	2A000	
Anchorage IS Lift Off Flag Hinge 16.5 - 21mm	-	2A059	2A056	2A054	2A057	2A051	2A055	2A053	2A052	2A050	
Anchorage IS Lift Off Flag Hinge 20.5 - 27mm	-	2A109	2A106	2A104	2A107	2A111	2A105	2A103	2A102	2A100	
Description	Black	Brown	Light Brown	PVD Chrome	PVD Gold	White					
Maxim High Security Flag Hinge LH 13.5 - 17mm	-	DNMXBN1L0001	DNMXMLB1L0001	DNMXDC1L0001	DNMXDG1L0001	DNMXWH1L0001					
Maxim High Security Flag Hinge RH 13.5 - 17mm	-	DNMXBN1R0001	DNMXMLB1R0001	DNMXDC1R0001	DNMXDG1R0001	DNMXWH1R0001					
Maxim High Security Flag Hinge LH 16.5 - 21mm	-	DNMXBN2L0001A	DNMXMLB2L0001A	DNMXDC2L0001A	DNMXDG2L0001A	DNMXWH2L0001A					
Maxim High Security Flag Hinge RH 16.5 - 21mm	-	DNMXBN2R0001A	DNMXMLB2R0001A	DNMXDC2R0001A	DNMXDG2R0001A	DNMXWH2R0001A					
Maxim High Security Flag Hinge LH 20.5 - 27mm	DNMXBK3L0001A	DNMXBN3L0001A	DNMXMLB3L0001A	DNMXDC3L0001A	DNMXDG3L0001A	DNMXWH3L0001A					
Maxim High Security Flag Hinge RH 20.5 - 27mm	DNMXBK3R0001A	DNMXBN3R0001A	DNMXMLB3R0001A	DNMXDC3R0001A	DNMXDG3R0001A	DNMXWH3R0001A					
Description	Black	Brown	Light Brown	PVD Chrome	PVD Gold	White					
Nexus 100mm Flag Hinge 15 - 21mm (Std Body)	DNN2BL0001J	DNN2BN0003J	DNN2LB0001	DNN2DC0001J	DNN2DG0001J	DNN2WH0006J					
Nexus 100mm Flag Hinge 20.5 - 26mm (Deep Body)	DNNDBK0002	DNNDBN0002	DNNDLB0001J	DNNDDC0002	DNNDDG0002	DNNDWH0002					
Description	Anthracite Grey	Antique Black	Hardex Bronze	Hardex Chrome	Hardex Gold	Hardex Graphite	Hardex Satin	Black	Silver	White	
Haven HD 2D Adj Cap't'd Sash Piece Composite Hinge	2D012	2D009	2D006	2D004	2D008	2D011	2D005	2D001	2D002	2D000	
Description	Brown		Light Brown	PVD Chrome	PVD Gold	White					
Challenger 3D High Security Butt Hinge Body	DNCBBN0001AL		DNCBLB0001AL	DNCBDC0001AL	DNCBGD0001AL	DNCBWH0001AL					
Challenger Door Hinge Composite Flag	DNCABN0008		DNCALB0008Y	DNCADC0008Y	DNCADG0008Y	DNCAWH0008Y					
Description	Hook	Receiver	Description	Hook	Receiver	Description	Satin				
Dog Bolt Hook Type 1	DADBSA0004	DADDBL0006	Dog Bolt Hook Type 2	DADBSA0007	DADDBL0008	Dog Hinge Bolt	740-52				
Door Bolts				Part Code		Door Chains		Part Code		(Page 18)	
Description	Brass	Satin	White	Chrome	Brown	Description	Brass	Satin	Chrome		
Door Security Bolt	838-32	838-52	838-12	-	-	PVCu/Timber Door Chain	791-32	791-52	791-62		
Door Security Bolts 2 Pack	838-33	-	838-13	-	-	Slide Door Chain	787-21	787-52	-		
Thumbturn For Door Security Bolt	843-32	843-52	-	843-62	-	Concealed Door Chain	700-32	700-52	-		
Multi-Purpose Door Bolts	-	807-52	807-12	-	807-22	Door Restrictor	789-32	-	789-62		
Patio Door Push Lock	-	100-42	100-12	-	100-22						
Window Handles				Part Code				(Page 19-20)			
Description	Anthracite Grey	Antique Black	Hardex Bronze	Hardex Chrome	Hardex Gold	Hardex Graphite	Hardex Satin	Black	Silver	White	
Connoisseur Inline Locking Handle 40mm	0A144	0C146	0C143	0C141	0C145	0C148	0C142	0A141	0A142	0A140	
Monkey Tail Handle Left Hand 40mm	-	8A069	-	8A077	8A075	8A071	-	-	-	-	
Monkey Tail Handle Right Hand 40mm	-	8A070	-	8A078	8A075	8A072	-	-	-	-	
Monkey Tail Operating Stay 254mm	-	8A069	-	8A077	8A075	8A040	-	-	-	-	
Tear Drop Handle Left Hand 40mm	-	8A097	-	8A099	8A100	8A098	-	-	-	-	
Tear Drop Handle Right Hand 40mm	-	8A093	-	8A095	8A096	8A094	-	-	-	-	
Tear Drop Dummy Stay 54mm	-	8A109	-	8A111	8A112	8A110	-	-	-	-	
Craftsman Fastener Locking Handle	-	0J006	0J003	0J001	0J005	-	0J002	-	-	0J000	
Craftsman Locking Stay Bar	-	0J206	0J203	0J201	0J205	-	0J202	-	-	0J200	
Description	Black	Polished Gold	Polished Chrome	Satin Chrome	White	Brass					
Maxim Inline Locking Handle 45mm	WHM3BKXXILBB	WHM3MGXXILBB	WHM3CHXXILBB	WHM3SPXXILBB	WHM3WHXXILBW	-					
Maxim Inline Non-Locking Handle 45mm	WHM3BKXXINBB	WHM3MGXXINBB	WHM3CHXXINBB	WHM3SPXXINBB	WHM3WHXXINBW	-					
Charisma Cockspur Locking Handle L/H 12mm	WHCSBK21LLBB	WHCSMG21LLBB	-	WHCSSP21LLBB	WHCSWH12LLBW	-					
Charisma Cockspur Locking Handle L/H 21mm	WHCSBK12LNBB	WHCSMG12LNBB	-	WHCSSP12LNBB	WHCSWH21LLBW	-					
Charisma Cockspur Locking Handle R/H 12mm	WHCSWH21RLBB	WHCSMG21RLBB	-	WHCSSP21RLBB	WHCSWH12RLBW	-					
Charisma Cockspur Locking Handle R/H 21mm	WHCSWH12RNBB	WHCSMG12RNBB	-	WHCSSP12RLBB	WHCSWH21RLBW	-					
Lockable Handle	-	-	-	-	808-12	808-32					
Window Locks				Part Code				(Page 21)			
Description	250mm	450mm	650mm	850mm	1050mm	1205mm					
Extreme 3 Shootbolt Lock Bar B/S 20mm	WLFSVS3201	WLFSVS3202	WLFSVS3203	WLFSVS3204	WLFSVS3205	WLFSVS3206					
Extreme 3 Shootbolt Lock Bar B/S 22mm	WLFSVS3221	WLFSVS3222	WLFSVS3223	WLFSVS3224	WLFSVS3225	WLFSVS3226					

Window Locks				Part Code				(Page 21)	
Description	190mm	230mm	400mm	600mm	800mm	1000mm	1200mm		
Extreme Shootbolt Bar Lock Black	WLFVS1201	-	WLFVS1203	-	WLFVS1205	WLFVS1206	-		
Extreme Shootbolt Bar Lock Polished Gold	WLFVS1221	-	WLFVS1223	-	WLFVS1225	WLFVS1226	WLFVS1207		
Extreme Shootbolt Bar Lock Satin Chrome	-	WLFVS1202	-	WLFVS1204	-	-	-		
Extreme Shootbolt Bar Lock White	-	WLFVS1222	-	WLFVS1224	-	-	WLFVS1227		
Description	250mm	400mm	600mm	800mm	1000mm	1200mm			
Espag Bar Lock B/S 20mm S/S 430	WLESRT2080250	WLESRT2080400	WLESRT2080600	WLESRT2080800	WLESRT2081000	WLESRT2081200			
Espag Bar Lock 22mm SS 430	WLESRT2280250	WLESRT2280400	WLESRT2280600	WLESRT2280800	WLESRT2281000	WLESRT2281200			
Vertical Sliding				Part Code				(Pages 22-23)	
Description			Description						
D Balance	Please call our office for more details		F/K Balance		Please call our office for more details				
Description	Antique Black	Hardex Bronze	Hardex Chrome	Hardex Gold	Hardex Graphite	Hardex Satin	Black	White	
High Security Cams - Classic Lever	-	VHCLCGR01	VHCLCHG01	VHCLCHG01	VHCLCGR01	VHCLCSA01	VHCLCHB01	VHCLCHC01	
High Security Cams - Heritage Lever	-	VHCLHHB01	VHCLHHC01	VHCLHHG01	VHCLHGR01	VHCLHSA01	VHCLHKB01	VHCLHWH01	
High Security Cams - Architectural Lever	-	VHCLAHB01	VHCLAHC01	VHCLAHG01	VHCLAGR01	VHCLASA01	VHCLABK01	VHCLAWH01	
Classic Cam Lock	-	VHCLHB01	VHCLHC01	VHCLHG01	VHCLGR01	VHCLSA01	VHCLBK01	VHCLWH01	
Sash Knobs - Classic	-	VHSKCHB01	VHSKCHC01	VHSKCHG01	VHSKCGR01	VHSKCSA01	VHSKCBK01	VHSKCWH01	
Sash Knobs - Heritage	-	VHSKHHB01	VHSKHHC01	VHSKHHG01	VHSKHGR01	VHSKHSA01	VHSKHKB01	VHSKHWH01	
Sash Knobs - Architectural	-	VHSKAHB01	VHSKAHC01	VHSKAHG01	VHSKAGR01	VHSKASA01	VHSKABK01	VHSKAWH01	
Sash Handle	VHBHAB01	VHBHHB01	VHBHHC01	VHBHHG01	VHBHGR01	VHBHSA01	VHBHBK01	VHBHWH01	
Sash Pull	VHSLAB01	VHSLHB01	VHSLHC01	VHSLHG01	VHSLGR01	VHLSA01	VHSLBK01	VHSLWH01	
Sash Eye - Inline	VHSEAB01	VHSEHB01	VHSECH01	VHSEHG01	VHSEGR01	VHSESA01	VHSEBK01	VHSEWH01	
Sash Eye - Offset	VHOSAB01	VHOSHB01	VHOSCH01	VHOSHG01	VHOSGR01	VHOSSA01	VHOSBK01	VHOSWH01	
Window & Door Accessories				Part Code				Part Code (Page 24)	
Description	White	Brown	Description		White	Brown	Brass		
Sash Jammer for PVCu Lockable	816-12	-	Snaplock for Metal Windows Cut Key		904-12	-	-		
Sash Jammer Non Locking	816-15	816-25	Snaplock for Timber Standard Key		801-12	801-22	801-32		
Snaplock for PVCu Keyless	830-12	830-22	Snaplock For Timber Cut Key		802-12	802-22	802-32		
Snaplock for PVCu Keyed	832-12	832-22							
Garages & Shed - Plates (Page 25)									
Description	25mm	38mm	51mm	63mm	76mm	102mm	127mm	152mm	
Corner Brace Counter Sunk Both Side - Z/P	0319-25-09	0319-38-09	0319-51-09	0319-63-09	0319-76-09	0319-102-09	0319-127-09	0319-152-09	
Corner Plate PK - Z/Plated	-	-	0324-51-10-09-5	-	0324-76-10-09-5	0324-102-09	-	-	
Corner Plate - Z/Plated	-	-	0324-51-09	0324-63-09	0324-76-09	0324-152-09	-	-	
Mending Plate - Z/Plated	-	-	-	-	0325-76-09	0325-102-09	0325-127-09	0325-152-09	
Tee Plate - Z/Plated	-	-	-	-	0318-76-09	0318-102-09	-	-	
Garages & Shed - Lockable Bolts (Page 26)									
Description	76mm	102mm	114mm	152mm	203mm	254mm	457mm		
Oval Padbolt - Z/Plated	004A-17	-	-	-	-	-	-		
Cross Pat Door Bolt - Galvanized	-	-	-	-	-	-	0597-457-18		
Medium Brenton Padbolt - Black	-	002A-102-10	0037-102-10	002A-152-10	002A-203-10	-	-		
Medium Brenton Padbolt - Z/Plated	-	002A-102-17	-	002A-152-17	002A-203-17	002A-257-17	-		
Safety Hasp & Staple - Black	0617-76-10	-	0617-114-10	0617-152-10	-	-	-		
Safety Hasp & Staple - Z/Plated	0617-76-17	-	0617-114-17	0617-152-17	-	-	-		
Garages & Shed - Gate Fittings (Page 27)									
Description	51mm	76mm	102mm	152mm	203mm	254mm	305mm		
Automatic Gate Catch Black	1819-10	-	-	-	-	-	-		
Automatic Gate Catch Z/Plated	1819-17	-	-	-	-	-	0597-457-18		
Malleable Iron Cabin Hook - Black	-	002A-102-10	0037-102-10	0037-152-10	0037-203-10	0037-254-10	0037-305-10		
Malleable Iron Cabin Hook Z/Plated	-	002A-102-17	-	0037-152-17	-	002A-254-17	-		
Malleable Iron Cabin Hook Brass	-	-	-	-	0037-203-03	-	-		
Malleable Iron Cabin Hook Chrome	-	-	-	-	0037-203-06	-	-		
Tower Bolt Black	-	0923-76-10	0923-102-10	0923-152-10	0923-203-10	-	-		
Tower Plated Z/Plated	-	-	0923-102-17	0923-152-17	0923-203-17	-	0923-305-10		
Tower Bolt Necked	-	-	0923NEK-102-10	0923NEK-152-10	0923NEK-203-10	-	-		
Description	Part Code		Description		Part Code				
Light Suffolk Gate Latch - Black	0020-10		Light Suffolk Gate Latch Z/Plated		0020-17				
Garages & Shed - Garage Bolts (Page 28)									
Description	Part Code		Description		Part Code				
Chain Bolt Black	0066-10		Monkey Tail Door Bolt 305mm Black		0060MT-305-10				
Foot Bolt 178mm Black	0068-10		Monkey Tail Door Bolt 457mm Black		0060MT-457-10				
Bow Handle Door Bolt 305mm Black	0060BH-305-10		Monkey Tail Door Bolt 610mm Black		0060MT-610-10				
Bow Handle Door Bolt 457mm Black	0060BH-457-10								

*Not an exhausted list, contact ERA for more details



ERA

ERA Home Security, Valiant Way,
Wolverhampton. WV9 5GB
Tel: 01902 490000
www.eraeverywhere.com